	Application No.	Applicant(s)
Notice of Allowability	10/736,527	CHEN, CHUNG-LUNG
	Examiner	Art Unit
	Jason Y. Pahng	3725
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/30/2005</u> .		
2. The allowed claim(s) is/are <u>1-6</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ul> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> </li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6.  Interview Summar Paper No./Mail Do 7.  Examiner's Amend 8.  Examiner's Statem 9. Other	ate
	SUPERVISOR	Y PATENT EXAMINER DGY CENTER 3700

Application/Control Number: 10/736,527 Page 2

Art Unit: 3725

## **Reasons for Allowance**

The following is an examiner's statement of reasons for allowance:

The prior art of record disclose a method for forming a multi-colored cap part of snap button. However, the prior art of record does not disclose or render obvious all of the details of the limitations of the independent claim and, in particular, a method for forming a multi-colored cap part of snap button using a first female mold, a first male mold, plate-shaped middle mold, and a slide-plate mold wherein the first male mold has a first pair of guide channels slidably engaging the slide-plate mold, and a second female mold having a second pair of guide channels slidably engaging the slide-plate mold.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Y. Pahng whose telephone number is 571 272 4522. The examiner can normally be reached on 9:00 AM - 7:00 PM, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on 571 272 4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/736,527

Art Unit: 3725

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JYP

SUPERVISORY PATENT EXAMINER
SECTIOLOGY CENTER 3700